

TREVCO JAMAICAN CONCESSION NO. 318

<u>Sample</u>	<u>Gold</u> 02/T	<u>Silver</u> 02/T	<u>Copper</u> %	<u>Concession</u> <u>Location</u>
Lab: Bowrlamaque Assay Laboratories				
Random samples by R. Marvin				
101	0.102	21.44	30.30	Charing Cross-Parker #1
102	Trace	0.66	1.98	Silvie
103	0.052	39.00	11.65	Congo #2
104	Trace	12.82	15.10	Keyes #1
105	0.070 (V.G.)	22.78	9.06	Charing Cross -Parker #2
106	0.160	90.00	32.00	Congo #1
107	-----	-----	-----	Fault
108	0.136	1.42	12.00	Charing Cross #1
109	0.087	3.21	31.20	Charing Cross #2
110	0.087	4.20	22.48	Charing Cross #3
111	0.180	1.19	11.60	Charing Cross #4
113	0.142	2.65	8.35	Keyes #2

Charing Cross Composite Strike on surface along 2,500 ft of vein

112	0.332	2.85	13.80	Charing Cross
-----	-------	------	-------	---------------

Composite lease Samples excluding Charing Cross

114	0.126	31.50	14.00	Keyes - Congo
-----	-------	-------	-------	---------------

Lab: Loring Laboratories  
Random Samples by David Lewis

0.158	2.66	20.8	Charing Cross
0.010	2.40	11.8	Congo
0.010	61.83	17.0	Keyes

December 22, 1989

6. LORING LABORATORIES CERTIFICATE

to: MR. DAVE LEWIS,  
Trevco Oil & Gas,  
10, 717 - 7th Avenue S.W.,  
Calgary, Alberta T2P 0Z3.

File No. 32998  
 Date December 13, 1989  
 Samples Rock



**Certificate of Assay**  
**LORING LABORATORIES LTD.**

SAMPLE NO.	OZ./TON GOLD	OZ./TON SILVER	% Cu
Assay Analysis"			
Charring Cross	.158	2.66	20.15
Charring Cross Surface	.010	.12	1.10
Charring Cross # 4 Adit	.004	.24	1.45
Jongo	.016	2.68	11.47
Keys	.034	61.93	17.76

I Hereby Certify that the above results are those assays made by me upon the herein described samples....

...ects retained one month.  
 ...ps retained one month  
 ...ess specific arrangements  
 ...e made in advance.

  
 Assayer



LABORATOIRE D'ANALYSE BOURLAMAQUE LTÉE  
BOURLAMAQUE ASSAY LABORATORIES LTD.

TRESCO OIL & GAS

CERTIFICAT D'ANALYSES  
CERTIFICATE OF ANALYSIS

No 55842

ÉCHANTILLONS Rock  
SAMPLES

VAL D'OR, QUÉ., December 22 19.....

RECU DE  
RECEIVED FROM Bruno Vihonen

ANALYSES 13 Au, 1 Au 16 Ag, 16 Cu  
ASSAYS 14 Ag, 13 Cu

Sample No.	Au oz/ton	Ag oz/ton	Cu %
1	0.102	21.44	30.30
2	Trace	0.66	1.98
3	0.052	39.03	11.65
4	Trace	12.82	15.10
5 VG	0.070 0.054	22.78	9.60
6	0.160	90.50	32.20
7	Trace	0.32	-
8	0.136	1.42	12.08
9	0.087	3.21	31.20
10	0.087	4.21	22.48
11	0.180	1.19	11.60
12	0.332	2.85	13.80
13	0.142	2.65	8.35
14	0.266	31.55	14.30

ANALYSTE / ASSAYER



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M5Z 2Z2 • TELEPHONE (416) 239-3527  
FAX (416) 239-4012


## Certificate of Analysis

Certificate No. MI-2819/01 Date: March 22, 1990  
Received \_\_\_\_\_ Samples of Rock  
Submitted by Trevcorp Att'n: Mr. F. Currah

Sample No.	Au ** ppb	oz/ton	Ag oz/ton	Cu, %
● 101		.10	18.61	5.93
● 102	103		1.31	2.04
● 103		.66	125.00	43.53
● 104		.82	37.30	23.40
105		.070	4.69	4.91
● 106	1275		18.81	19.14
● 107	51		2.01	2.45
108	30		.14	.40
● 109	109		.08	.42
● 110	127		.15	1.77
111		.081	15.31	20.45
112		.087	11.81	15.31
113	1303		1.60	2.77
● 114	407		.43	1.09
● 115	589		1.69	9.79
● 116	41		5.92	7.09
● 117	35		1.48	6.07
● 118	109		.26	4.24
● 119	1109		8.77	14.65
● 120	1833		14.35	18.22

\*\* Duplicate Au Analysis  
expressed in oz/ton

ASSAYERS ONTARIO LABORATORIES

Per  \_\_\_\_\_  
J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2819/02

Date March 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by \_\_\_\_\_ Att'n: Mr. F. Currah

Sample No.	Au ** ppb	oz/ton	Ag oz/ton	Cu %
121	675		8.02	5.04
● 122		.20	2.68	9.97
123	31		.17	5.25
124	49		.46	9.47
125	35		.15	2.55
● 126	42		.29	6.38
● 127	39		.08	5.65
● 128	1377		.30	16.77
● 129	1589		.17	16.55
● 130	823		.93	5.15
● 131	91		.58	4.68
● 132	59		.28	3.07
● 133	477		1.13	6.25
2+ ● 134	89		1.82	4.73
135	20		.70	2.16
● 136		.075	9.65	16.32
● 137		.24	6.41	15.81
● 138	399		3.23	6.43
● 139	61		1.87	7.06
● 140	1503		1.51	6.77

ASSAYERS ONTARIO LABORATORIES

Per  J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527  
FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2819/03

Date: March 22, 1990

Received \_\_\_\_\_

Samples of Rock

Submitted by \_\_\_\_\_

Att'n: Mr. F. Currah

Sample No.	Au **		Ag oz/ton	Cu %
	ppb	oz/ton		
141	1267		4.34	6.73
142	1875		5.59	11.94
143	716		8.48	12.91
144	903		3.00	10.61
145	61		.26	5.86
146		2.25	8.66	7.50
147		.17	.29	2.17
148	1756		27.27	29.69
149	700		6.50	14.78
150	401		.43	4.57
151	589		2.68	11.31
152	397		2.12	6.80
153	39		.34	4.51
154	22		.14	1.36
155	173		.72	1.86
156	19		.11	1.27
157	35		.08	1.82
158	401		.58	1.90
159	677		.35	1.93
160		.096	6.56	5.64

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M6Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2819/04


Date: March 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by \_\_\_\_\_ Att'n: Mr. F. Currah

Sample No.	ppb	Au ** oz/ton	Ag oz/ton	Cu. %
161		.12	.46	2.15
162	61		.14	1.63
163	305		.43	1.07
164	22		.10	1.43
165	387		.10	3.06
<i>12.110 ↓</i> 166		.31	.58	12.35
<i>45.12</i> 167		.44	.67	20.75
<i>4.12</i> 168		.22	.59	12.82
<i>3.11</i> 169		.29	.81	11.66
<i>3.11</i> 170		.18	.70	8.68
<i>3.11</i> 171	333		.17	2.68
172	1421		.61	27.80
173		.087	.48	11.51
174	1575		.37	11.76
175	483		.32	6.66
176	1351		.35	20.17
177		.56	.32	13.58
178		.24	.49	16.25
179		.11	.67	18.48
180		.090	.32	7.17

ASSAYERS ONTARIO LABORATORIES

Per  \_\_\_\_\_  
J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527  
FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2819/05 Date: March 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by \_\_\_\_\_ Att'n: Mr. F. Currah

Sample No.	Au ppb	** oz/ton	Ag oz/ton	Cu %
181		.13	.55	6.19
<u>182</u>		.30	.81	8.51
183	-- No Sample--			
184	589		.26	1.55
185	30		.15	.37
186	373		.61	7.65
187	1921		.64	10.75
188	25		.26	.39
189	30		.11	.18
190		.13	.29	6.59
191	401		.23	1.97

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_  
J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527  
FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2821/01 Date: March 23, 1990

Received \_\_\_\_\_ 59 Samples of Rock

Submitted by Treycorp Att'n: Mr. F. Currah

Sample No.	Au		Ag	Cu %
	ppb	oz/ton	oz/ton	
015	267		<.01	.056
016	244		.01	.004
017	162		.02	.12
018	1403		.01	.024
019		.11	.09	12.20
020	1111		2.65	10.62
021	1134		1.34	13.79
022	1161		.84	6.91
023	255		1.02	6.83
024		.055	.51	8.84
025	567		.09	.60
026	1585		.47	7.98
027	1793		.61	7.45
028	171		.11	1.68
029	1166		.35	6.24
030	251		.02	.19
031	163		<.01	.048
032	999		.48	9.79
033	476		.14	1.66
034	593		.21	3.45

ASSAYERS ONTARIO LABORATORIES

Per J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2621/02 Date March 27, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by Trevcorp Att'n: Mr. F. Currah

Sample NO.	Au ppb	oz/ton	Ag oz/ton	Cu %
035	399		.03	.36
036	805		.28	7.89
037	153		.03	.68
038	1587		.27	7.51
039	591		.12	.95
040		.10	.58	12.90
041		.18	.40	3.34
042		.23	.61	8.45
043		.057	.32	4.53
044		.086	.73	10.40
045	701		.26	1.97
046		.075	.58	8.61
047	1173		.14	1.16
048		.32	.64	8.00
049	587		.11	1.26
050	1805		.62	15.78
051	203		.12	1.47
052	1612		.49	7.82
053	483		.10	.87
054	595		.72	14.34

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2821/03 Date March 27, 1990  
 Received \_\_\_\_\_ Samples of Rock  
 Submitted by Trevcorp Att'n: Mr. F. Currah

Sample No.	Au ppb	oz/ton	Ag oz/ton	Cu %
055		.44	.31	15.82
056	457		.05	.53
057		.67	.31	27.15
058	950		.03	.19
059		.25	.40	17.16
060		.096	.10	2.77
061	1055		.05	1.00
062		1.58	.94	18.43
063		.064	.06	1.05
064		.54	.47	9.28
192		.067	.18	2.89
193		.040	.09	.40
194	153		.03	.094
195	40		<.01	9.92
196		.058	.06	.64
197	61		<.01	.038
198	173		<.01	.086
199	69		<.01	.070
200	17		<.01	.041

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MJ-2861 Date April 18, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by Treycorp Att'n: Mr. E. Currah

Sample No.	Au oz/ton	Ag oz/ton	Cu %
● 065	.004	.01	
● 066	.002	.03	
● 067	.007	.03	
● 068	.009	.05	22.27
● 069	.013	.74	12.59
● 070	.005	.15	
● 071	.031	3.28	
● 072	.004	1.11	17.91
● 073	1.17	4.43	5.77
● 074	.043	2.91	53.94
● 075	.058	3.41	11.16
● 076	.008		
● 077	.003		
● 078	.002		
● 079	.013	.12	2.74
● 080	.001		
● 081	.032	2.86	4.75
● 082	.002	.13	3.21
● 083	.003		
● 084	.005		

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M8Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. MI-2861/02 Date: April 18, 1990

received \_\_\_\_\_ Samples of Rock

submitted by Trevcorp Att'n: Mr. F. Currah

Sample No.	Au oz/ton	Ag oz/ton	Cu %
● 085	.090	.15	
● 086	.005	.03	
● 087	.051	1.74	11.65
● 088	.11	1.68	27.93
● 089	.015	1.23	12.91
● 090	.024	.48	6.69
● 091	.002	.07	.72
092	.023		
093	.010	.45	.69
094	.001	.06	.98
● 095	.002	.01	
● 096	.003	.03	
● 097	.002	.02	
● 098	.007	.23	4.44
● 099	.051	.27	6.28
100	.012	.09	2.31
100B	.029	1.78	9.23
● 195B	.038	3.43	28.32

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD

33 CHAUNCEY AVENUE, TORONTO, ONTARIO M6Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. TR-01/01

Date: May 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by Trevcorp Att'n: Mr. F. Curraoh

Sample NO.	oz/ton			Sample NO.	oz/ton		
	Au	Ag	Cu %		Au	Ag	Cu %
10001	.029	.04	.05	10021	.001	.08	1.21
10002	.001	.03	.21	10022	<.001	.04	.46
10003	.001	.04	1.09	10023	<.001	.07	.83
10004	.032	.41	3.58	10024	.055	.14	.50
10005	.005	.01	5.41	10025	.009	.27	2.34
10006	.001	.06	.97	10026	.020	.81	4.03
10007	.004	.13	5.03	10027	.001	1.22	1.18
10008	.057	.46	9.42	10028	<.001	.23	2.57
10009	.003	.03	.61	10029	<.001	.52	2.11
10010	.002	.29	1.57	10030	<.001	.87	.89
10011	.001	.16	2.38	10031	.016	.46	.41
10012	.011	.10	4.03	10032	<.001	.02	.18
10013	.001	.58	7.68	10033	.055	5.68	11.05
10014	.043	.01	2.42	10034	.012	.08	1.99
10015	.020	.13	3.25	10035	.018	.37	3.12
10016	.73	.11	8.10	10036	.001	.07	1.78
10017	.011	.04	2.39	10037	<.001	.06	2.57
10018	.38	.14	5.27	10038	.035	.69	2.19
10019	.076	.06	9.05	10039	.001	.28	2.21
10020	.017	.01	.59	10040	<.001	.23	1.99

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD

33 CHAUNCEY AVENUE TORONTO, ONTARIO M6Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. TR-01/02

Date May 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by Trevcorp Att'n: Mr. F. Curragh

Sample No.	oz/ton			Sample NO.	oz/ton		
	Au	Ag	Cu %		Au	Ag	Cu %
10041	.052	.08	.97	10061	.001	.01	.004
10042	.005	.06	.42	10062	<.001	<.01	.22
10043	.012	.05	.79	10063	<.001	<.01	.006
10044	.001	.03	.23	10064	<.001	.03	.31
10045	.023	.12	1.21	10065	.012	.01	.091
10046	.002	.02	.54	10066	.006	<.01	.072
10047	.001	.14	2.22	10067	.002	.01	.061
10048	.002	.12	.91	10068	.004	.02	.104
10049	.005	.07	1.53	10069	<.001	.01	.053
10050	.13	7.29	6.01	10070	<.001	.01	.101
10051	.040	.18	1.47	10071	<.001	<.01	.030
10052	.078	.29	2.41	10072	.023	<.01	.13
10053	.017	.11	1.78	10073	.009	.01	.14
10054	.11	.04	3.83	10074	.005	<.01	.091
10055	.007	.03	.81	10075	<.001	.02	.032
10056	.012	.08	.37	10076	<.001	.01	.009
10057	.002	.03	.02	10077	.003	.01	.14
10058	.007	.01	.38	10078	.005	.01	.081
10059	.002	.01	.27	10079	.007	.01	.25
10060	.005	.03	.03	10080	.001	.01	.30

ASSAYERS ONTARIO LABORATORIES

Per \_\_\_\_\_

J. van Engelen Mgr.



# ASSAYERS ONTARIO LABORATORIES

A DIVISION OF ASSAYERS CORPORATION LTD.

23 CHAUNCEY AVENUE, TORONTO, ONTARIO M5Z 2Z2 • TELEPHONE (416) 239-3527

FAX (416) 239-4012

## Certificate of Analysis

Certificate No. TR-01/03 Date May 22, 1990

Received \_\_\_\_\_ Samples of Rock

Submitted by Trevcorp Att'n: Mr. F. Curragh

Sample No.	Au oz/ton	Ag oz/ton	Cu %
10081	<.001	.03	.049
10082	.001	.01	.021
10083	.003	.02	.103
10084	.002	.01	.019
10085	.003	.02	.078
10086	.002	.13	1.63
10087	.001	.01	.031
10088	<.001	.01	.024
10089	.001	<.01	.047
10090	.055	.58	2.03
10091	.017	.17	1.57
10092	.11	.69	5.13
10093	.037	7.87	4.02
10094	.014	.06	1.23
10095	.18	.10	.91
10096	.016	.13	2.63
<b>10097</b>	.017	1.22	1.28
<b>10098</b>	.016	.29	.27

ASSAYERS ONTARIO LABORATORIES

Per. \_\_\_\_\_

J. van Engelen Mgr.