



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

J: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

A9424520

Comments: ATTN: P. PYLE CC: B. LAIRD

CERTIFICATE

A9424520

(HTB) - BHP - UTAH INTERNATIONAL

Project: 2115
P.O.#:

Samples submitted to our lab in Mississauga, ON.
This report was printed on 13-SEP-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
217	60	Geochem ring entire sample
229	60	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	60	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	60	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	60	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	60	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	60	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	60	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	60	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	60	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	60	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	60	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	60	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	60	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	60	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	60	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	60	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	60	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	60	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	60	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	60	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	60	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	60	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	60	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	60	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	60	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	60	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	60	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	60	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	60	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	60	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	60	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	60	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	60	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	60	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
 994 West Glendale Ave., Suite 7, Sparks,
 Nevada, U.S.A. 89431
 PHONE: 702-356-5395

Client: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
 HOUSTON, TEXAS
 77056-3020

Page Number: 1-A
 Total Pages: 2
 Certificate Date: 13-SEP-94
 Invoice No.: 19424520
 P.O. Number:
 Account: HTB

Project: 2115
 Comments: ATTN: P. PYLE CC: B. LAIRD

CERTIFICATE OF ANALYSIS A9424520

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L114 BS4155	217 229	< 5	< 0.2	3.39	< 2	80	< 0.5	< 2	0.60	< 0.5	16	8	18	5.88	< 10	< 1	0.06	< 10	1.13	1735
L114 BS4156	217 229	< 5	< 0.2	3.19	10	50	< 0.5	< 2	0.81	< 0.5	11	7	18	4.55	< 10	< 1	0.06	< 10	0.85	1005
L114 BS4157	217 229	< 5	< 0.2	3.83	< 2	100	< 0.5	< 2	0.43	< 0.5	22	11	47	6.68	< 10	< 1	0.03	< 10	0.95	1275
L114 BS4158	217 229	< 5	< 0.2	3.65	< 2	110	< 0.5	< 2	0.30	< 0.5	18	22	33	7.24	< 10	< 1	0.04	< 10	0.82	2040
L114 BS4159	217 229	< 5	< 0.2	3.42	10	150	< 0.5	< 2	0.20	< 0.5	60	28	129	8.39	< 10	2	0.26	< 10	0.93	2460
L106 BS4160	217 229	< 5	< 0.2	1.64	2	170	< 0.5	< 2	0.06	< 0.5	3	62	20	2.39	< 10	< 1	0.11	< 10	0.22	110
L106 BS4161	217 229	< 5	< 0.2	2.01	2	130	< 0.5	< 2	0.06	< 0.5	3	67	21	2.90	< 10	< 1	0.13	< 10	0.22	115
L106 BS4162	217 229	< 5	< 0.2	1.32	2	130	< 0.5	< 2	0.11	< 0.5	3	127	13	2.21	< 10	< 1	0.13	< 10	0.16	110
L106 BS4163	217 229	< 5	< 0.2	1.81	2	150	< 0.5	< 2	0.15	< 0.5	12	73	15	4.03	< 10	< 1	0.10	< 10	0.93	645
L106 BS4164	217 229	190	< 0.2	1.98	8	140	< 0.5	< 2	0.12	< 0.5	14	53	25	5.13	< 10	< 1	0.10	< 10	0.70	595
L106 BS4165	217 229	105	< 0.2	1.56	8	110	< 0.5	< 2	0.06	< 0.5	3	41	28	2.55	< 10	< 1	0.18	< 10	0.28	105
L106 BS4166	217 229	115	< 0.2	0.73	6	170	< 0.5	< 2	0.10	< 0.5	5	124	16	1.90	< 10	< 1	0.06	< 10	0.09	300
L106 BS4167	217 229	< 5	< 0.2	1.04	12	170	< 0.5	< 2	0.09	< 0.5	7	84	17	1.98	< 10	< 1	0.11	< 10	0.15	335
L106 BS4168	217 229	< 5	< 0.2	1.58	8	170	< 0.5	< 2	0.12	< 0.5	15	71	28	3.01	< 10	< 1	0.06	< 10	0.20	525
L106 BS4169	217 229	< 5	< 0.2	1.81	< 2	180	< 0.5	< 2	0.13	< 0.5	14	71	20	3.48	< 10	< 1	0.06	< 10	0.33	500
L106 BS4170	217 229	< 5	< 0.2	2.23	4	150	< 0.5	< 2	0.17	< 0.5	8	66	26	4.37	< 10	< 1	0.06	< 10	0.43	295
L106 BS4171	217 229	< 5	< 0.2	1.66	12	160	< 0.5	< 2	0.38	< 0.5	9	48	34	2.60	< 10	< 1	0.10	< 10	0.34	265
L106 BS4172	217 229	< 5	< 0.2	1.91	< 2	230	< 0.5	< 2	0.45	< 0.5	8	47	33	3.06	< 10	< 1	0.22	< 10	0.44	375
L106 BS4173	217 229	< 5	< 0.2	2.57	4	110	< 0.5	< 2	0.57	< 0.5	16	17	71	5.11	< 10	1	0.18	< 10	0.66	660
L106 BS4174	217 229	< 5	< 0.2	2.79	6	120	< 0.5	< 2	1.30	< 0.5	13	8	51	5.62	< 10	1	0.35	< 10	1.18	710
L106 BS4175	217 229	< 5	< 0.2	2.31	2	80	< 0.5	< 2	0.77	< 0.5	11	20	84	5.62	< 10	< 1	0.30	< 10	1.00	695
L106 BS4176	217 229	< 5	< 0.2	2.83	< 2	110	< 0.5	< 2	0.83	< 0.5	14	17	90	5.41	< 10	< 1	0.20	< 10	1.11	1065
L106 BS4177	217 229	< 5	< 0.2	1.52	< 2	80	< 0.5	< 2	5.37	< 0.5	12	23	125	4.40	< 10	1	0.20	< 10	0.67	380
L106 BS4178	217 229	< 5	< 0.2	2.93	< 2	130	< 0.5	< 2	0.51	< 0.5	12	13	199	5.27	< 10	1	0.14	< 10	0.79	330
L106 BS4179	217 229	< 5	< 0.2	3.69	4	220	< 0.5	< 2	0.78	< 0.5	17	10	217	5.60	< 10	< 1	0.31	< 10	1.03	455
L106 BS4180	217 229	< 5	< 0.2	3.80	2	230	< 0.5	< 2	1.00	< 0.5	17	13	264	5.47	< 10	1	0.38	< 10	1.07	965
L106 BS4181	217 229	< 5	< 0.2	4.07	4	230	< 0.5	< 2	0.65	< 0.5	20	7	677	5.50	< 10	< 1	0.39	< 10	1.22	740
L106 BS4182	217 229	< 5	< 0.2	2.66	2	90	< 0.5	< 2	0.56	< 0.5	18	20	296	6.11	< 10	< 1	0.31	< 10	0.77	510
L106 BS4183	217 229	< 5	< 0.2	4.59	8	210	< 0.5	< 2	0.86	< 0.5	21	24	130	5.94	< 10	< 1	0.69	< 10	2.50	705
L106 BS4184	217 229	< 5	< 0.2	3.83	2	90	< 0.5	< 2	1.04	< 0.5	19	12	106	5.67	< 10	1	0.23	< 10	1.34	870
L106 BS4185	217 229	< 5	< 0.2	2.57	< 2	120	< 0.5	< 2	0.49	< 0.5	19	12	190	5.48	< 10	< 1	0.19	< 10	1.11	410
L106 BS4186	217 229	< 5	< 0.2	3.37	< 2	100	< 0.5	< 2	0.60	< 0.5	21	12	116	5.77	< 10	< 1	0.06	< 10	1.00	635
L106 BS4187	217 229	< 5	< 0.2	2.79	6	40	< 0.5	< 2	0.78	< 0.5	15	12	35	5.30	< 10	< 1	0.09	< 10	0.97	470
L106 BS4188	217 229	< 5	< 0.2	2.72	2	100	< 0.5	< 2	0.95	< 0.5	20	15	96	5.78	< 10	< 1	0.07	< 10	0.79	610
L106 BS4189	217 229	20	< 0.2	2.53	4	160	< 0.5	< 2	3.44	< 0.5	17	18	361	5.30	< 10	1	0.11	< 10	0.82	945
L106 BS4190	217 229	35	< 0.2	3.00	2	160	< 0.5	< 2	2.17	< 0.5	19	17	364	5.87	< 10	1	0.12	< 10	0.88	1095
L106 BS4191	217 229	5	< 0.2	2.50	< 2	110	< 0.5	< 2	0.75	< 0.5	13	10	268	5.13	< 10	< 1	0.26	< 10	0.88	300
L106 BS4192	217 229	35	< 0.2	2.71	< 2	280	< 0.5	< 2	0.59	< 0.5	14	13	238	5.14	< 10	< 1	0.19	< 10	0.87	710
L106 BS4193	217 229	90	< 0.2	3.08	< 2	200	< 0.5	< 2	1.06	< 0.5	19	11	245	5.20	< 10	< 1	0.08	< 10	0.87	1265
L106 BS4194	217 229	20	< 0.2	1.60	< 2	150	< 0.5	< 2	9.66	< 0.5	14	21	168	3.32	< 10	2	0.07	< 10	0.46	490

CERTIFICATION:

Carroll Bain



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

J: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

Page No. : 1-B
Total Pages : 2
Certificate Date: 13-SEP-94
Invoice No. : 19424520
P.O. Number :
Account : HTB

CERTIFICATE OF ANALYSIS

A9424520

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L114 BS4155	217	229	< 1	0.02	4	420	< 2	< 2	13	60	0.10	< 10	< 10	139	< 10	118
L114 BS4156	217	229	< 1	0.03	3	310	2	2	10	76	0.09	< 10	< 10	91	< 10	86
L114 BS4157	217	229	< 1	0.01	6	180	2	< 2	15	53	0.09	< 10	< 10	210	10	128
L114 BS4158	217	229	< 1	0.01	8	230	< 2	< 2	18	35	0.07	< 10	< 10	263	< 10	174
L114 BS4159	217	229	< 1	0.01	11	390	8	2	20	23	0.08	< 10	< 10	230	< 10	214
L106 BS4160	217	229	< 1	0.01	4	290	2	< 2	4	17	< 0.01	< 10	< 10	69	< 10	20
L106 BS4161	217	229	< 1	< 0.01	4	210	4	< 2	4	26	0.01	< 10	< 10	87	< 10	22
L106 BS4162	217	229	< 1	< 0.01	4	210	4	2	2	23	0.02	< 10	< 10	74	< 10	12
L106 BS4163	217	229	< 1	0.01	6	210	2	< 2	6	29	0.05	< 10	< 10	117	< 10	48
L106 BS4164	217	229	< 1	0.01	7	270	12	< 2	7	30	0.07	< 10	< 10	154	< 10	74
L106 BS4165	217	229	< 1	< 0.01	4	170	8	< 2	3	29	0.03	< 10	< 10	98	< 10	22
L106 BS4166	217	229	< 1	< 0.01	4	210	8	< 2	1	25	0.04	< 10	< 10	66	< 10	12
L106 BS4167	217	229	< 1	< 0.01	4	220	8	< 2	2	25	0.04	< 10	< 10	76	< 10	16
L106 BS4168	217	229	< 1	< 0.01	5	260	8	< 2	5	23	0.07	< 10	< 10	100	< 10	22
L106 BS4169	217	229	< 1	< 0.01	6	210	8	< 2	6	25	0.08	< 10	< 10	108	< 10	30
L106 BS4170	217	229	< 1	0.01	7	250	8	< 2	8	61	0.07	< 10	< 10	135	< 10	34
L106 BS4171	217	229	< 1	0.01	8	320	8	< 2	5	47	0.01	< 10	< 10	77	< 10	44
L106 BS4172	217	229	< 1	0.01	8	560	10	< 2	6	74	0.02	< 10	< 10	79	< 10	46
L106 BS4173	217	229	< 1	0.01	4	390	6	2	9	43	0.09	< 10	< 10	125	< 10	86
L106 BS4174	217	229	< 1	0.04	2	650	4	< 2	10	72	0.14	< 10	< 10	143	< 10	82
L106 BS4175	217	229	< 1	0.07	6	1050	4	2	9	54	0.17	< 10	< 10	154	< 10	80
L106 BS4176	217	229	< 1	0.06	5	970	2	< 2	10	82	0.14	< 10	< 10	144	< 10	98
L106 BS4177	217	229	< 1	0.04	3	870	2	< 2	7	45	0.05	< 10	< 10	117	< 10	102
L106 BS4178	217	229	< 1	0.02	2	430	4	< 2	9	42	0.06	< 10	< 10	135	< 10	42
L106 BS4179	217	229	< 1	0.04	3	830	4	< 2	12	73	0.10	< 10	< 10	160	< 10	58
L106 BS4180	217	229	< 1	0.03	7	1830	< 2	< 2	14	81	0.09	< 10	< 10	176	< 10	68
L106 BS4181	217	229	< 1	0.02	4	790	< 2	2	13	61	0.05	< 10	< 10	154	< 10	74
L106 BS4182	217	229	< 1	0.01	8	750	< 2	< 2	13	39	0.09	< 10	< 10	240	< 10	78
L106 BS4183	217	229	< 1	0.08	15	150	2	< 2	15	153	0.12	< 10	< 10	190	< 10	54
L106 BS4184	217	229	< 1	0.30	8	340	4	2	8	912	0.06	< 10	< 10	189	< 10	56
L106 BS4185	217	229	< 1	0.08	8	200	< 2	< 2	9	129	0.04	< 10	< 10	199	< 10	40
L106 BS4186	217	229	1	0.03	9	190	2	< 2	7	233	0.04	< 10	< 10	190	< 10	46
L106 BS4187	217	229	< 1	0.16	8	160	< 2	< 2	6	243	0.03	< 10	< 10	180	< 10	32
L106 BS4188	217	229	< 1	0.09	9	310	2	< 2	7	232	0.05	< 10	< 10	195	< 10	44
L106 BS4189	217	229	1	0.04	8	550	8	< 2	8	85	0.03	< 10	< 10	155	< 10	116
L106 BS4190	217	229	2	0.07	8	640	8	< 2	9	95	0.05	< 10	< 10	171	< 10	118
L106 BS4191	217	229	3	< 0.01	5	240	2	< 2	12	34	0.01	< 10	< 10	135	< 10	62
L106 BS4192	217	229	< 1	0.02	6	300	2	< 2	11	24	< 0.01	< 10	< 10	138	< 10	62
L106 BS4193	217	229	< 1	0.02	8	250	6	< 2	12	46	< 0.01	< 10	< 10	135	< 10	84
L106 BS4194	217	229	1	0.01	5	210	8	< 2	6	71	0.01	< 10	< 10	99	10	192

CERTIFICATION:

Corey Bain



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

J: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Page No. 2 A
Total Pages 2
Certificate Date: 13 SEP 94
Invoice No. 19424520
P.O. Number
Account HTB

Project: 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

CERTIFICATE OF ANALYSIS

A9424520

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L106 BS4195	217 229	< 5	< 0.2	1.18	< 2	70	< 0.5	< 2	>15.00	< 0.5	7	16	67	2.17	< 10	< 1	0.08	< 10	0.51	330
L106 BS4196	217 229	< 5	< 0.2	0.54	< 2	20	< 0.5	< 2	>15.00	< 0.5	1	7	12	0.85	< 10	1	0.04	< 10	0.24	130
L106 BS4197	217 229	< 5	< 0.2	0.71	4	50	< 0.5	< 2	>15.00	< 0.5	2	9	26	1.14	< 10	< 1	0.07	< 10	0.22	225
L106 BS4198	217 229	< 5	< 0.2	1.19	< 2	30	< 0.5	< 2	>15.00	< 0.5	3	15	15	1.56	< 10	< 1	0.05	10	0.17	345
L106 BS4199	217 229	< 5	< 0.2	2.23	18	70	0.5	< 2	12.15	0.5	9	32	34	3.31	< 10	< 1	0.07	10	0.23	665
L106 BS4200	217 229	< 5	< 0.2	1.39	6	30	< 0.5	< 2	>15.00	< 0.5	4	21	26	2.18	< 10	< 1	0.06	10	0.23	310
L106 BS4201	217 229	< 5	< 0.2	2.38	10	60	0.5	< 2	14.05	0.5	6	34	37	2.75	< 10	< 1	0.10	10	0.30	515
L106 BS4202	217 229	< 5	< 0.2	2.03	8	10	0.5	< 2	>15.00	0.5	3	35	13	2.47	< 10	< 1	0.04	10	0.18	220
L106 BS4203	217 229	< 5	< 0.2	1.25	8	10	< 0.5	< 2	>15.00	< 0.5	3	12	13	1.59	< 10	< 1	0.07	10	0.21	215
L106 BS4204	217 229	< 5	< 0.2	2.76	14	30	0.5	< 2	11.85	1.0	11	44	20	3.45	< 10	< 1	0.06	10	0.26	1090
L106 BS4205	217 229	< 5	< 0.2	1.87	10	30	< 0.5	< 2	14.45	0.5	8	52	18	3.11	< 10	< 1	0.04	20	0.20	530
L106 BS4206	217 229	< 5	< 0.2	1.85	14	40	0.5	< 2	13.85	0.5	8	43	19	3.27	< 10	< 1	0.06	10	0.21	595
L106 BS4207	217 229	< 5	< 0.2	2.52	22	50	0.5	< 2	7.58	1.0	10	55	27	4.39	< 10	< 1	0.09	10	0.22	780
L106 BS4208	217 229	< 5	< 0.2	1.13	6	30	< 0.5	< 2	>15.00	< 0.5	6	24	14	2.10	< 10	< 1	0.04	10	0.22	395
L106 BS4209	217 229	< 5	< 0.2	0.63	4	20	< 0.5	< 2	>15.00	< 0.5	3	12	9	1.22	< 10	< 1	0.06	< 10	0.26	355
L106 BS4210	217 229	< 5	< 0.2	0.61	6	50	< 0.5	< 2	>15.00	< 0.5	5	10	15	1.47	< 10	< 1	0.06	< 10	0.36	270
L106 BS4211	217 229	< 5	< 0.2	0.68	2	30	< 0.5	< 2	>15.00	< 0.5	4	16	13	1.59	< 10	< 1	0.04	< 10	0.28	270
L106 BS4212	217 229	< 5	< 0.2	2.06	4	240	< 0.5	< 2	12.25	< 0.5	88	13	49	3.59	< 10	< 1	0.08	40	0.26	2290
L106 BS4213	217 229	< 5	< 0.2	1.98	< 2	100	< 0.5	< 2	2.83	< 0.5	2	11	21	2.96	< 10	< 1	0.15	< 10	0.18	85
L106 BS4214	217 229	< 5	< 0.2	2.04	< 2	130	0.5	< 2	11.60	< 0.5	30	36	28	2.81	< 10	< 1	0.12	10	0.29	855

CERTIFICATION:

Carroll



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

J: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Page No. : 2 B
Total Pages : 2
Certificate Date: 13-SEP-94
Invoice No. : 19424520
P.O. Number :
Account : HTB

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

CERTIFICATE OF ANALYSIS

A9424520

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L106 BS4195	217	229	< 1	0.01	2	330	< 2	< 2	3	101	< 0.01	< 10	< 10	63	< 10	154
L106 BS4196	217	229	1	0.01	< 1	220	< 2	< 2	1	113	< 0.01	< 10	< 10	26	< 10	180
L106 BS4197	217	229	1	0.01	3	810	8	< 2	1	82	< 0.01	< 10	< 10	30	< 10	160
L106 BS4198	217	229	3	0.01	7	550	< 2	< 2	2	58	< 0.01	< 10	< 10	39	< 10	168
L106 BS4199	217	229	6	0.01	15	830	28	< 2	6	42	< 0.01	< 10	< 10	76	< 10	136
L106 BS4200	217	229	4	0.01	8	520	20	< 2	4	88	< 0.01	< 10	< 10	57	< 10	158
L106 BS4201	217	229	3	0.01	12	890	22	< 2	6	78	< 0.01	< 10	< 10	71	< 10	172
L106 BS4202	217	229	3	0.01	11	160	< 2	< 2	7	69	< 0.01	< 10	< 10	79	< 10	122
L106 BS4203	217	229	1	0.01	6	300	< 2	< 2	3	69	< 0.01	< 10	< 10	43	< 10	164
L106 BS4204	217	229	4	0.01	14	290	6	< 2	9	66	< 0.01	< 10	< 10	101	< 10	126
L106 BS4205	217	229	3	0.01	12	280	2	< 2	7	86	< 0.01	< 10	< 10	107	< 10	124
L106 BS4206	217	229	3	0.02	12	310	2	< 2	8	60	< 0.01	< 10	< 10	101	< 10	132
L106 BS4207	217	229	7	0.01	12	390	14	< 2	10	42	< 0.01	< 10	< 10	132	< 10	106
L106 BS4208	217	229	2	0.01	6	240	< 2	< 2	3	85	< 0.01	< 10	< 10	57	< 10	158
L106 BS4209	217	229	2	0.01	3	220	< 2	< 2	2	104	< 0.01	< 10	< 10	36	< 10	166
L106 BS4210	217	229	2	0.01	3	170	80	< 2	2	90	< 0.01	< 10	< 10	38	< 10	160
L106 BS4211	217	229	1	0.01	3	170	6	< 2	2	70	< 0.01	< 10	< 10	44	< 10	128
L106 BS4212	217	229	6	0.01	35	90	< 2	< 2	6	54	< 0.01	< 10	< 10	66	10	160
L106 BS4213	217	229	1	0.01	2	180	2	2	3	42	< 0.01	< 10	< 10	49	< 10	26
L106 BS4214	217	229	2	0.01	14	160	4	< 2	4	61	< 0.01	< 10	< 10	62	< 10	112

CERTIFICATION:

Corentin Boivin